

GRM



CATALOGUE



GRM 35

CHICAGO, ILLINOIS
312-655-1212

PRODUCT INDEX

SELF-INKING TECHNOLOGY

ROUND STAMPS

Round.....	2
Oval.....	6

STAMPS

Plastic.....	9
Stock message	20

DATERS

Plastic.....	18
Postal	22
Light and solid	23
Heavy duty	25

NUMERATORS

Plastic and Metal	21
-------------------------	----

COMPACT
construction



“2 PADS” SELF-INKING TECHNOLOGY

ROUND STAMPS

Plastic “2 pads”	27
Metal “2 pads”	30

STAMPS

Plastic “2 pads”	32
Metal “2 pads”	38

DATERS

Metal “2 pads”	39
----------------------	----



POCKET STAMP

Plastic.....	40
--------------	----

DIY–Set

Stamps	47
Type sets	49

TECHNOLOGY

Laser Rubber.....	45
Photopolymers & Supplies.....	46


PRODUCTS OVERVIEW



ROUND STAMPS



A STAMP SETTING INCLUDES A STAMP PAD OF **ANY** KIND AND COLOR



Stamp pads are packed up into boxes in fives. There can be pads of various types and colors with respective marking in every box.

● **OFFICE STAMP PAD**
For ordinary office paper

● **FOR GLOSSY PAPER AND CARDBOARD**
QUICK DRYING,
WATERPROOF

● **UNINKED**
For special ink usage

● **DUAL-COLOR**



ROUND STAMPS



Sealing by numbered self-adhesive stickers against an unauthorized use!

Guaranteed that nobody can use your stamp:

- when you are absent
- while transportation

Additional control of storage rules' observance and taking stock of stamps

PROTECTIVE COVER 'SAFEBOX'

- protects a stamp from any damage while transportation
- protects a stamp pad from drying
- allows to keep a stamp compact – when a stamp is locked it easily seats in a drawer or your pocket.

The new series has unique feature – the pad is reversible and allows you to double the life of the self-inker



GRM D 40 COMPACT 2 PADS

Ø 40 mm

REVERSIBLE
PAD

ROUND STAMPS



A SET CAN INCLUDE A STAMP
PAD OF **ANY** TYPE AND COLOR



- **OFFICE STAMP PAD**
For ordinary office paper



- **FOR GLOSSY PAPER AND
CARDBOARD**
QUICK DRYING, WATERPROOF

ROUND STAMPS



GRM 4921
12x12 mm




GRM 4922
20x20 mm



GRM 4925
25x25 mm




GRM 4930
30x30 mm



PROTECTIVE COVER 'SAFEBOX'

- protects a stamp from any damage while transportation
- protects a stamp pad from drying
- allows to keep a stamp compact – when the stamp is locked it easily seats in a drawer or your pocket.



GRM 4935
35x35 mm



GRM 4940
40x40 mm

OVAL STAMPS



CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR



OVAL STAMP GRM OVAL 44

Size **44x28** mm



OVAL STAMP GRM OVAL 55

Size **55x35** mm



Freeware software!




STAMP

Technical support and new software versions are always available at WWW.GRMARKING.COM

We would like to offer you to use software «STAMP» for drawing up and taking an order to produce stamp products.

The «STAMP» software installed on the computer either of a client or an office point, it provides an opportunity to increase number of orders and decrease time spent for customer service.

Stamp-makers can use it for own business!



A completed order form can be:

- saved on a disk;
- sent via e-mail;
- printed out in order to send it by fax

The software includes an extended directory of all stamp products with samples of imprints.



STAMPS

STAMPS

	Size of Imprint	Replacement pad	
GRM 4910	2 lines 26x12		GRM 4910
GRM 4911	4 lines 38x14		GRM 4911
GRM 4912	5 lines 47x18		GRM 4912
GRM 4913	6 lines 59x23		GRM 4913
GRM 4915	8lines 69x30		GRM 4915
GRM 4926	10 lines 76x37		GRM 4926
GRM 4916	2 lines 69x10		GRM 4916
GRM 4917	2 lines 50x10		GRM 4917
GRM 4929	8lines 50x30		GRM 4929
GRM 4928	8 lines 60x33		GRM 4928
GRM 4927	10 lines 60x40		GRM 4927

Plastic daters

Stock message stamps. Numerators

Stamps and Metal daters



- Handy marking on every stamp pad
- Opportunity to choose any color and type of ink
- Separately packed stamp pad




STANDARD INK







for office paper



FAST DRYING INK

for all kind of papers





STAMPS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



GRM 4910
Size of Imprint: **26x12** mm
Max.: 2 Lines

**Inspection
Complete**



GRM 4911
Size of Imprint: **38x14** mm
Max.: 4 Lines

FRANCIE WERKSMAN
249 Ninth Ave.
BLOOMFIELD, PA 98726



GRM 4912
Size of Imprint: **47x18** mm
Max.: 5 Lines

FORD MOTOR CO.
9004, Rosslyn
Arlington, VA, 10004



GRM 4913
Size of Imprint: **59x23** mm
Max.: 6 Lines

MARA BETH STEVENS
1234 WEST END DRAVE
CHICAGO, IL 60611
312-555-1212



GRM 4916
Size of Imprint: **69x10** mm
Max.: 2 Lines

Classic Edition, Inc. - Store



GRM 4917
Size of Imprint: **50x10** mm
Max.: 2 Lines

Steven J Smith



GRM 4927
Size of Imprint: **60x40** mm
Max.: 10 Lines

**PROPRIETARY
INFORMATION**

To be returned to
Webster, Rathbone & Soams
and not be reproduced in any form
without their permission



GRM 4926
Size of Imprint: **76x37** mm
Max.: 8 Lines

ABeton

Alexanderstr. 26, 90459 Nurnberg
Fax (0911) 12 456 12-34

HOTLINE: (0911) 123 456 12

STAMPS



GRM 4915

Size of Imprint: **69x30 mm**
Max.: 8 Lines

PAY TO THE ORDER OF
1 st LOCAL BANK AND TRUST
E. GRAND STREET BRANCH
FOR DEPOSIT ONLY
CLASSIC EDITION, INC.
ACCT,#123-45-678



GRM 4925

Size of Imprint: **82x25 mm**
Max.: 7 Lines

AUTO TRADE

Sunset Road, 10, office #3205A
Jacksonville, Florida



GRM 4928

Size of Imprint: **60x33 mm**
Max.: 8 Lines

PRIORITY ORDER

SHIP VIA

- ☐ 2ND DAY
☐ OVERNIGHT



GRM 4929

Size of Imprint: **50x30 mm**
Max.: 8 Lines

APPROVED

**MARC STEVENS
FINANCIAL SERVICES**

Loan Department, 1st National Bank
002-334-123435

STAMPS

STAMPS

	Size of Imprint	Replacement pad	
GRM 10	2 lines 26x12		GRM 10
GRM 20	4 lines 38x14		GRM 20
GRM 30	5 lines 47x18		GRM 30
GRM 40	6 lines 59x23		GRM 40
GRM 50	8 lines 69x30		GRM 50
GRM 60	10 lines 76x37		GRM 60
GRM 15	2 lines 69x10		GRM 15
GRM 25	4 lines 75x15		GRM 25
GRM 45	7 lines 82x25		GRM 45
GRM 35	8 lines 50x30		GRM 35
GRM 53	8 lines 45x30		GRM 53
GRM 54	10 lines 50x40		GRM 54
GRM 55	10 lines 60x40		GRM 55

Plastic daters

Stock message stamps. Numerators

Stamps and Metal daters



 Handy marking on every stamp pad

 Opportunity to choose any color and type of ink







 Separately packed stamp pad



STANDARD INK
for office paper



FAST DRYING INK
for all kind of papers



STAMPS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



GRM 10

Size of Imprint: **26x12 mm**
Max.: 2 Lines

**Inspection
Complete**

Nopitschstr. 43
Nürnberg



GRM 20

Size of Imprint: **38x14 mm**
Max.: 4 Lines

FRANCIE WERKSMAN
249 Ninth Ave.
BLOOMFIELD, PA 98726

Thomas Dreusicke
info@motzener-strass.de
Tel.: +49-30-720 700



GRM 30

Size of Imprint: **47x18 mm**
Max.: 5 Lines

FORD MOTOR CO.
9004, Rosslyn
Arlington, VA, 10004

Leichtmetallgießerei KG
Paretzer Str. 7 D-90401
Tel. +49-911-9602-100
support@stielhalter.at

STAMPS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



GRM 40

Size of Imprint: **59x23 mm**
Max.: 6 Lines

MARA BETH STEVENS
1234 WEST END DRAVE
CHICAGO, IL 60611
312-555-1212



BRIGITTE

Tel. 040/3003-0
Inhalt: infoline@brig.de
Anzeigen: anzeigen@brig.de
www.media.brig.de



GRM 50

Size of Imprint: **69x30 mm**
Max.: 8 Lines

PAY TO THE ORDER OF
1 st LOCAL BANK AND TRUST
E. GRAND STREET BRANCH
FOR DEPOSIT ONLY
CLASSIC EDITION, INC.
ACCT,#123-45-678

ONLINE GmbH

Zülpicher Straße 11
40190 Düsseldorf
Telefon: 0211 505 - 19 00
Telefax: 0211 505 - 19 09



GRM 60

Size of Imprint: **76x37 mm**
Max.: 9 Lines

All accounts are due and payable by the 15th
of the month following the date of invoice.
A finance charge of 0.5% per month, which is
an annual percentage rate of 18%, is charged
by Ace Sales on all past due accounts.
There is no grace period.

Zoologischer Garten Berlin AG

Hardenbergplatz 8
10787 Berlin
Telefon + 49 (0)30 - 254 01 - 0
Telefax + 49 (0)30 - 254 01 - 255
E-Mail: info@zoo-berlin.de



STAMPS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



GRM 15

Size of Imprint: **69x10** mm
Max.: 2 Lines

Classic Edition, Inc. - Store

Anne Schäfer-Junker



GRM 25

Size of Imprint: **75x15** mm
Max.: 4 Lines



Michael Jones
Retail Project Manager

**Gerhard Au, Geschäftsführer,
Frankfurt am Main**



GRM 45

Size of Imprint: **82x25** mm
Max.: 7 Lines

ATTENTION: OFFICE PRODUCTS BUYERS

**SEPTEMBER SPECIALS
ENCLOSED**

Bildarchiv Preußischer Kulturbesitz
Märkisches Ufer 15-18
10170 Berlin
Telefon: 030 / 2787 910, Fax: 030 / 2787 9210

STAMPS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



GRM 35

Size of Imprint: **50x30** mm
Max.: 8 Lines

APPROVED

**MARC STEVENS
FINANCIAL SERVICES**
Loan Department, 1st National Bank
002-334-123435

Staatliche Museen zu Berlin
Generaldirektion, Publikationen
Elisabeth Rochau-Shalem
Stauffenbergstraße 41
10785 Berlin
Fax: 030 / 266 3051



GRM 53

Size of Imprint: **45x30** mm
Max.: 8 Lines

CLASSIC EDITION

PAY TO THE ORDER OF
LOCAL BANK & TRUST
FOR DEPOSIT ONLY
ACCT# 1234-456-789

Service Multimédia, DGIC
Mairie de Paris
 **5 rue Lobau 75014 Paris**
ou par fax au 01 42 76 49 00



STAMPS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



GRM 54

Size of Imprint: **50x40 mm**
Max.: 10 Lines

SHIP TO

Jane' s Smoked Foods
14 Industrial Plaza
Suite 1010
Overlook, Kansas 66222

Bureaux - Siège social
6, Rue de Charonne
Escalier 19 - 4° Etage droite
75001 Paris



GRM 55

Size of Imprint: **60x40 mm**
Max.: 10 Lines

PROPRIETARY INFORMATION

To be returned to
Webster, Rathbone & Soams
and not be reproduced in any form
without their permission

*Techno Buro
10b rue Forlen
67110 Geispolsheim Gare

Tél. 03 88 67 10 80
Fax. 03 88 67 40 81

DATERS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



DATER GRM 53

Size of Imprint: **45x30** mm
Max.: 4 Lines
Height of date: 3 mm

Inspected & Checked
JOHN STEVENS

10 NOV 2017

FORD MOTOR CO.
DEPARTMENT OF MOTOR VEHICLES



DATER GRM 54

Size of Imprint: **50x40** mm
Max.: 6 Lines
Height of date: 3 mm

APPROVED
Loan Department

10 NOV 2017

STEVEN'S
Credit Corporation



DATER GRM 55

Size of Imprint: **60x40** mm
Max.: 6 Lines
Height of date: 4 mm

SHIPPED

10 NOV 2017

Specialized Marine Equipment Co.
The Division of Sterling International.

DATERS



**CAN INCLUDE A STAMP PAD
OF ANY TYPE AND COLOR**



MINI-DATER GRM 120

Height of date: **3** mm

10 NOV 2017



DATER GRM 220

Height of date: **4** mm

10 NOV 2017



DATER GRM 160 (2 LINE)

Size of Imprint: **25x5** mm

Max.: 2 Lines

Height of date: 3 mm

RECEIVED

10 NOV 2017



DATER GRM 160 S (2 LINES)

Size of Imprint: **30x16** mm

Max.: 2 Lines

Height of date: 3 mm

PASSED

10 NOV 2017

EXPORT DEPT.



DATER GRM 260

Size of Imprint: **45x24** mm

Max.: 2 Lines

Height of date: 4 mm

RECEIVED

10 NOV 2017

Simply Sara's Clothing



DATER GRM 2100/4

Height of date: **4** mm

Size of dater: **43x26** mm

10 NOV 2017

STOCK MESSAGE STAMPS



STOCK MESSAGE STAMPS

**GRM 10 or
RGM 4910**

We offer you a selection
of 12 stock message stamps to choose from.



APPROVED



DELIVERED



URGENT



CREDIT



E-MAILED



FAXED



CANCELLED



PAID



CHARGED



RECEIVED



CHECKED



SHIPPED



**APPROVED
URGENT
E-MAILED
CANCELLED
CHARGED
CHECKED
DELIVERED
CREDIT
FAXED
PAID
RECEIVED
SHIPPED**

Stamp GRM 120W
has the changeable
word



STAMP GRM 120W

Dater GRM 120
has the changeable
words below printed
on the left and a changeable
date on the right



**APPROVED
URGENT
E-MAILED
CANCELLED
CHARGED
CHECKED
DELIVERED
CREDIT
FAXED
PAID
RECEIVED
SHIPPED**

DATER GRM 120WD

URGENT 14 JAN 2017



NUMERATOR GRM 20BANDS

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0

NUMERATORS

NUMBERING MACHINES WITH MANUAL CHANGE OF NUMBERS



NUMERATOR 2106/P

Height of the symbol: 4 mm
Bands: 6
Size 35x22 mm

BATCH NO.

1 2 3 4 5 6

BAXTER LABORATORIES



NUMERATOR 48314

Height of the symbol: 3 mm
Bands: 14

1 2 3 4 5 6 7 8 9 0 1 2 3 4



NUMERATOR 2106

Height of the symbol: 4 mm
Bands: 6

1 2 3 4 5 6



NUMERATOR 2108

Height of the symbol: 4 mm
Bands: 8

1 2 3 4 5 6 7 8



NUMERATOR 2110

Height of the symbol: 4 mm
Bands: 10

1 2 3 4 5 6 7 8 9 0



MINI-NUMERATOR 126

Height of the symbol: 3 mm
Bands: 6

1 2 3 6 5 4



NUMERATOR 226

Height of the symbol: 4 mm
Bands: 6

1 2 3 6 5 4

NUMBERING MACHINES WITH AUTOMATIC CHANGE OF NUMBERS

An automate numerator for setting numbers on tickets, invoices, passes and other kinds of documentation which require trough numbering.

Periodicity of number change is set divisible by 0,1,2,3,4, 5, 6,12 and 20 for 6-wheels numerators or 0,1,2,3 and 6 for 8-wheels numerators.

SELF-INKING NUMERATOR B6/B6K 06/4,5

Height of symbols: 4,5 mm
bottom frame: metal

Height of symbols: 4,5 mm
bottom frame: metal

6 wheels 1 2 3 4 5 6

SELF-INKING NUMERATOR B6/B6K 06/5,5

Height of symbols: 5,5 mm
bottom frame: metal

Height of symbols: 5,5 mm
bottom frame: metal

6 wheels 1 2 3 4 5 6

SELF-INKING NUMERATOR B6/B6K 08/4,5

Height of symbols: 4,5 mm
bottom frame: metal

Height of symbols: 4,5 mm
bottom frame: plastic

8 wheels 1 2 3 4 5 6 7 8

SELF-INKING NUMERATOR B6/B6K 08/5,5

Height of symbols: 5,5 mm
bottom frame: metal

Height of symbols: 5,5 mm
bottom frame: plastic

8 wheels 1 2 3 4 5 6 7 8



REPLACEMENT PAD FOR B6/B6K-06

Colour: black

Colour: red

REPLACEMENT PAD FOR B6/B6K-08

Colour: black

Colour: red



6 wheels, height font 5,5 mm
periodicity 3

1 2 3 4 5 6
1 2 3 4 5 7
1 2 3 4 5 7
1 2 3 4 5 7
1 2 3 4 5 8
1 2 3 4 5 8

6 wheels, height font 4,5 mm
periodicity 1

1 2 3 4 5 6
1 2 3 4 5 7
1 2 3 4 5 8

8 wheels, height font 5,5 mm
periodicity 4

1 2 3 4 5 6 7 8
1 2 3 4 5 6 7 9
1 2 3 4 5 6 7 9
1 2 3 4 5 6 7 9
1 2 3 4 5 6 7 9
1 2 3 4 5 6 8 0

POSTAL DATER

POSTAL DATER
GRM D 2040/P 2 pads

Ø 40 mm

REVERSIBLE
PAD



date



time (hour)



Double the number of impressions

Metal construction

Postal dater GRM D 2040/P is used to put date and time of mail by postal service offices and courier companies



GRM

LIGHT AND SOLID

● CONVINIENCE

One button to set in three ways when it is necessary to change either a date, or stamp pad, or clich

● SOLIDITY

Modern, solid and durable nice plastic material



● STEADINESS

Rubber legs on the basis of a dater guarantee steadiness and noiselessness to the whole set

● ACCURACY

Easy positioning for accurate imprint

All the models of such daters became more convenient, lighter and more attractive.

Base of the dater is made of a modern solid plastic which provides steadiness to the stamp setting and makes it reliable.

New daters can be easily recognized by their appearance. Pearl plastic in combination with plastic material of anthracite color, red insets make a stamp of this series new and recognizable.



DATER GRM 2160

Size: 42x25 mm

RECEIVED

10 NOV 2017

L & M HEALTH FOOD STORES



DATER GRM 2360

Size: 45x31 mm

RECEIVED

10 NOV 2017

EXPRESS STAMP
ACCOUNTING DEPT.



DATER GRM 2660

Size: 58x36 mm

SHIPPED

10 NOV 2017

Specialized Marine Equipment Co.
The Division of Sterling International.



DATER GRM 2860

Size: 68x49 mm

APPROVED
Loan Department

10 NOV 2017

STEVEN'S
Credit Corporation

HEAVY DUTY DATERS

● **SOLIDITY**

Easy and ultra solid design of set

● **RELIABILITY**


Solid metal stopper provides makes set fixation reliable when a date or stamp pad is changed

● **ACCURACY**

Easy positioning for accurate imprint

● **CONVENIENT**

Convenient and easy data change



Daters for extra pressure work

Solid, durable metal base allows to make several thousand of imprints every day. It is perfect for use in bank, postal service offices and custom.



DATER GRM 4430

Size: 41x25 mm

Bank & Trust

10 NOV 2017

Branch # 87621
Teller # 163



DATER GRM 4440

Size: 51x29 mm

RECEIVED

10 NOV 2017

Simply Sarah's Clothing



DATER GRM 4460

Size: 57x35 mm

JOHN STEVENS
Inspected & Checked

10 NOV 2017

STEVEN'S
Credit Corporation



DATER GRM 4470

Size: 47x51 mm

APPROVED
Loan Department

10 NOV 2017

Inspector # 1268
Chicago Plant # 812



DATER GRM 4480

Size: 69x48 mm

SHIPPED

10 NOV 2017

Marketing Department
Classic Edition
Piscataway, NJ

STAMPS WITH REVERSIBLE PAD "2 PADS

PATENTED TECHNOLOGY



Patented technology
USA, Europe, Russia



IMMEDIATE REPLACEMENT AND CLEAN HANDS

Reversible spare stamp pads for GRM self - inkers have small handle which guarantees an easy pulling out and putting the stamp pad back to the stamp.

Thanks to new technology fingers do not touch with pad's edges and stamp ink.

DIFFERENT TYPES OF THE PAINTS

There is a partition in the middle of reversible stamp pad. It prevents inks of different kinds to flow

from one pad to another and be blended..




Double the number of impressions

STAMPS WITH REVERSIBLE PAD "2 PADS

PATENTED TECHNOLOGY




GRM D 12 *2 pads*
Ø 12 mm




GRM D 17 *2 pads*
Ø 17 mm



GRM D 24 *2 pads*
Ø 24 mm



GRM D 30 *2 pads*
Ø 30 mm



For exact positioning GRM D 12, 17, 24 they are delivered with transparent bottom frame.




PATENTED SYSTEM


allows protect seal for prevention of the uncontrolled use.




GRM D 40 *2 pads*
Ø 40 mm



GRM D 45 *2 pads*
Ø 45 mm



GRM D 50 *2 pads*
Ø 50 mm



STAMPS WITH REVERSIBLE PAD "2 PADS

PATENTED TECHNOLOGY



U.S. POSTAGE
PAID

ASCO CORPORATION

GRM 4925 2 pads

Ø 25x25 mm



Two pads
in one block



INSPECTED
BY

82
SJS

GRM 4930 2 pads

Ø 30x30 mm



IMMEDIATE REPLACEMENT AND CLEAN HANDS

Reversible spare stamp pads for GRM self - inkers have small handle which guarantees an easy pulling out and putting the stamp pad back to the stamp.


Thanks to new technology fingers do not touch with pad's edges and stamp ink.

DIFFERENT TYPES OF THE PAINTS

There is a partition in the middle of reversible stamp pad. It prevents inks of different kinds to flow

from one pad to another and be blended..

Ink, type 1
Partition
Ink, type 2



GRM 4943 2 pads

Ø 43x43 mm



Route To:

- S.J. Stevens
- M.B. Jones
- S.G. Munson
- L.H. Smith
- D.K. Reynolds
- Sales Department


Double the number of impressions

STAMPS WITH REVERSIBLE PAD "2 PADS



PATENTED TECHNOLOGY

*Two pads
in one block*



*Double the number
of impressions*

REAL METAL STAMP


Real metal GRM stamp is designed for those who use it very often since metal base and hard spring prolong durability of a stamp — up to 10 years.

Main advantages:



- number of plastic elements is minimized;
- soft operation;
- easy stamping;
- original design.



GRM D 2040 2 pads
Ø 40 mm REVERSIBLE PAD



GRM D 2045 2 pads
Ø 45 mm REVERSIBLE PAD



GRM

STAMPS WITH REVERSIBLE PAD "2 PADS"

PATENTED TECHNOLOGY



STAMPS

		Size of Imprint	Replacement pad
	GRM 150	2 lines 70x12	
	GRM 200	4 lines 41x16	
	GRM 250	4 lines 76x17	
	GRM 300	5 lines 48x20	
	GRM 320	5 lines 62x20	
	GRM 310	6 lines 45x24	
	GRM 400	6 lines 59x23	
	GRM 450	7 lines 76x29	
	GRM 500	6 lines 65x25	
	GRM 600	10 lines 78x40	

METAL STAMPS

		Size of Imprint	Replacement pad
	GRM 2100	6 lines 42x25	
	GRM 2300	8 lines 45x31	
	GRM 2400	7 lines 59x28	
	GRM 2600	9 lines 58x36	
	GRM 2800	12 lines 68x49	

METAL DATERS

		Size of Imprint	Replacement pad
	GRM 2160	6 lines 42x25	
	GRM 2360	8 lines 45x31	
	GRM 2460	7 lines 59x28	
	GRM 2660	9 lines 58x36	
	GRM 2860	12 lines 68x49	

Patented technology
USA, Europe, Russia



Two pads
in one block



CLEAN HANDS

Those times, when fingers were dirty with ink while pads' replacement, have passed. Reversible replacement stamp pads for GRM setting have a small handle for placement, fixation and easy extraction a stamp from its base. Thanks to a new technology fingers do not touch with pad's edges and stamp ink.

QUICK END EASY REPLACEMENT



A reversible pad allows you to replace a used side of the pad by a new one, to change a kind and color of dye. The only thing which you should do is to pull a stamp pad out, turn over and set it back.

Double the number of impressions

VARIOUS KINDS OF INKS

There is a partition in the middle of reversible stamp pad. It prevents inks of different kinds to flow from one pad to another and be blended.

Ink, type 1 →
Partition →
Ink, type 2 →



MODERN TECHNOLOGIES

● REVERSIBLE STAMP PAD

It doubles durability and provides convenient refilling

● “SOFT RUBBER” SURFACE

It makes your work comfortable

● CLEAR POSITION GAP

It provides a very accurate imprint positioning

● TWO-SIDED LOCKING BUTTONS

They allow to facilitate stamp pad replacement and base setting

All the stamps of series “2 pads” are made of new modern materials

In order to make work comfortable a SoftRubber base surface is used to produce “2 pad” stamps. In order to have an accurate imprint positioning while using new stamps a special limp plastic is used.

Special stoppers located on the pad and stamps base allow pulling pad out and putting it back without thinking of its location. It is twice durable.

STAMPS WITH REVERSIBLE PAD "2 PADS

PATENTED TECHNOLOGY



GRM 150 *2 pads*

Size of Imprint: **70x12** mm
Max.: 2 Lines



MULTI-PURPOSE BANK BERHAD

Salak South Garden Branch, Kuala Lumpur



GRM 250 *2 pads*

Size of Imprint: **76x17** mm
Max.: 4 Lines



OFFICE PRODUCTS (CENTRAL) LTD

Unit 3, The County Estate, BIRMINGHAM, B 55 5SL

Tel: 021-898-7720 Fax: 021-898 7721



GRM 450 *2 pads*

Size of Imprint: **76x29** mm
Max.: 7 Lines



SOUTH CENTRAL DIVISION
UNITED FOOD & COMMERCIAL
WORKERS UNIONS AND EMPLOYEES
3200 EAST HIGHWAY 66
PHOENIX, AZ 75150

STAMPS WITH REVERSIBLE PAD "2 PADS

PATENTED TECHNOLOGY



GRM 200 *2 pads*

Size of Imprint: **41x16** mm
Max.: 4 Lines




GRM 300 *2 pads*

Size of Imprint: **48x20** mm
Max.: 5 Lines





GRM 310 *2 pads*

Size of Imprint: **45x24** mm
Max.: 6 Lines



GRM 320 *2 pads*

Size of Imprint: **62x20** mm
Max.: 5 Lines



GRM

STAMPS WITH REVERSIBLE PAD "2 PADS

PATENTED TECHNOLOGY



GRM 400 *2 pads*

Size of Imprint: **59x23** mm

Max.: 6 Lines




KEEP OUT OF DIRECT SUNLIGHT
KEEP UNDER 80F (27C)
KEEP AWAY FROM HEAT



GRM 500 *2 pads*

Size of Imprint: **65x25** mm

Max.: 6 Lines



Johnson's Computer Shop

418 HILLSIDE AVENUE
TAMPA, FLORIDA 94836
PHONE: 348-9762



GRM 600 *2 pads*



Size of Imprint: **78x40** mm

Max.: 10 Lines



MAIL ROOM

- Change Address as shown
- Do not mail this individual
- Individual left company
- Do not mail this company



GRM

STAMPING UNDERLAY

STAMPING UNDERLAY

- It decreases pressure while using
- It increases an imprint quality
- It is a powerful marketing tool as it is always on the office table (if imprints are made by means of ink stamping)



A **universal stamping underlay** allows you to facilitate a documentation marking process and achieve a dramatic quality increase. It was proved by practice that the bigger a stamp is and more information it includes, the more efforts should be made in order to make an imprint. In this case this underlay helps to decrease pressure and increase quality.

If you always want to have an imprint the best of a high quality, a stamping underlay choice for you. It is indispensable if you use the following stamps: GRM 60, GRM 55, D45, D50, 2800.



The stamping underlay is a convenient tool for stamping and it also can be used as a mouse pad.



Applicable
for any
stamps

HAND STAMP PADS

HAND STAMP PAD UNIVERSAL 1

Size: 50x50 mm

FOR MICROTEXT

UNINKED
SPECIAL INK



HAND STAMP PAD UNIVERSAL 2

Size: 100x50 mm

FOR MICROTEXT

UNINKED
SPECIAL INK



For stamps and seals with manual setting hand stamp pads are used. They are filled up with a special stamp ink.

In contrast to self-inkers it is necessary to dip a hand stamp in a hand stamp pad.

Hand stamp pads are also used for making imprints by means of band daters and numerators.




MODERN TECHNOLOGIES

● **STAMP PAD STOPPERS**

It allows to set a pad well-oriented

● **"SOFTRUBBER" SURFACE**

It makes your work comfortable



● **REVERSIBLE STAMP PAD**

It doubles durability and provides convenient refilling

● **CLEAR POSITION GAP**

It provides a very accurate imprint positioning

● **TWO-SIDED LOCKING BUTTONS**

They allow to facilitate stamp pad replacement and base setting

All "2 pads" stamps are made of new modern materials

In order to make work comfortable a SoftRubber base surface is used to produce "2 pad" stamps.

In order to have an accurate imprint positioning while using new stamp a special limp plastic is used.

Special stoppers located on the pad and setting base allow pulling pad out and putting it back not thinking of its location. It is twice durable.

STAMPS WITH REVERSIBLE PAD «2 PADS»



GRM 4911 *2 pads*

Size of Imprint: **39x15** mm
Max.: **4** Lines



REVERSIBLE
PAD

GEORGE BARET
EXPORT DEPARTMENT



GRM 4912 *2 pads*

Size of Imprint: **48x18** mm
Max.: **5** Lines



REVERSIBLE
PAD

**ALL CHANGES
CERTIFIED**



GRM 4913 *2 pads*

Size of Imprint: **65x25** mm
Max.: **6** Lines



REVERSIBLE
PAD

PAY TO THE ORDER OF
Yorkville Bank and Trust Co.
North Philadelphia Office
Dr. Peter A. Jacobs
375493603



GRM 4915 *2 pads*

Size of Imprint: **68x30** mm
Max.: **8** Lines



REVERSIBLE
PAD

 **Global Transport
GmbH**
Massenbergdtr. 24
04155 Leipzig
HOTLINE: <<
Tel. 0 341 / 123 456 (Mo - Fr. 24h)



GRM 4926 *2 pads*

Size of Imprint: **78x40** mm
Max.: **10** Lines



REVERSIBLE
PAD

ABeton
Alexanderstr. 26, 90459 Nurnberg
Fax (0911) 12 456 12-34
HOTLINE: (0911) 123 456 12

METAL STAMPS «2 PADS»

PATENTED TECHNOLOGY



GRM 2100 «2 PADS»

Size of Imprint: **42x25** mm



REVERSIBLE
PAD

**HEALTH
STORES**

K & T HEALTH FOOD STORES Co.

Size of Imprint: **39x15** mm



GRM 2300 «2 PADS»

Size of Imprint: **45x31** mm




REVERSIBLE
PAD

**SHIP
AS IS**



GRM 2400 «2 PADS»

Size of Imprint: **59x28** mm



REVERSIBLE
PAD

SOLD BY
ALEX'S COMPUTER SHOP

504 WILDSIDE AVENUE
Great Falls, Virginia 109001
PHONE: 703-9762



GRM 2600 «2 PADS»

Size of Imprint: **58x36** mm



REVERSIBLE
PAD

FRAGILE

HANDLE WITH CARE

SHIPMENT

CONTAINS GLASS



GRM 2800 «2 PADS»

Size of Imprint: **68x49** mm





REVERSIBLE
PAD

REVISIONS MADE ARE RECORDED
AND FILED BY THE FOLLOWING:
ALL DIMENSIONS ARE CERTIFIED
AS ON ORIGINAL DRAFT

Initials & Date Department

Initials & Date Department

Initials & Date Department



GRM

DATERS WITH REVERSIBLE PAD «2 PADS»



PATENTED TECHNOLOGY



DATER GRM 2160 «2 PADS»

Size of Imprint: **42x25** mm



DATER GRM 2460 «2 PADS»

Size of Imprint: **59x28** mm



DATER GRM 2360 «2 PADS»

Size of Imprint: **45x31** mm






DATER GRM 2660 «2 PADS»

Size of Imprint: **58x36** mm



DATER GRM 2860 «2 PADS»


Size of Imprint: **68x49** mm



GRM

POCKET STAMP

NEW



GRM Pocket One-Click
series of handy and
pocket stamps and
seals.

Easy to open and
close by one
finger.



Ø 40 mm


Pocket D40 ONE CLICK
Size 42x42 mm

APPROVED
Loan Department
Financial Group
Credit Corporation

Tel.: +1(202) 635-0012
Fax: +1(202) 635-0011
www.financial-group.com
info@financial-group.com




Pocket D30
Size 30x30 mm




Pocket Q25 ONE CLICK
Size 25x25 mm




Pocket Q12 ONE CLICK
Size 12x12 mm



POCKET STAMP



NEW




GRM Pocket One-Click
series of handy and
pocket stamps and
seals.

Easy to open and
close by one
finger



Stamp Pocket 20 ONE CLICK
Size of Imprint: 16x40 mm

CONFIDENTIAL



Stamp Pocket 30 ONE CLICK
Size of Imprint: 21x46 mm

CLASSIC EDITION
1234 Your, Street
AnyTown, State 12345

Stamp Pocket 40 ONE CLICK
Size of Imprint: 58x25 mm

MARA BETH STEVENS
1234 WEST END DRAVE
CHICAGO, IL 60611
312-555-1212



STAMPS
GRM ONE CLICK

DIY-SET



New technology!

Make your own stamp and change the text as needed!




DIY Stamp



**DOUBLE THE NUMBER
OF IMPRESSIONS!**

MARK J. WERKSMAN
tel.: (202) 301-1544
fax: (202) 301-1545
e-mail: mwr@yahoo.com





Tweezers and DIY type set

DIY-SET

DIY Round Stamp



DOUBLE THE NUMBER
OF IMPRESSIONS!



GRM DIY stamps, rounds stamps and daters allows you to create your own messages quickly and easily.

- Ideal for personal or business use
- Self-inking, so no need for a separate stamp pad
- Ideal for repetitive stamping, prints thousands of impressions

DIY-SET



PLASTIC STAMPS				
	GRM 10 DIY 2 lines		26x12 mm	GRM 10
	GRM 20 DIY 4 lines	or	GRM 4911 4 Line	38x14 mm GRM 20
	GRM 30 DIY 5 lines	or	GRM 4912 5 Line	47x18 mm GRM 30
	GRM 40 DIY 6 lines	or	GRM 4913 6 Line	59x23 mm GRM 40
	GRM 50 DIY 8 lines	or	GRM 4915 8 Line	69x30 mm GRM 50
	GRM 55 DIY 10 lines	or	GRM 4927 10 Line	60x40 mm GRM 55
	GRM 60 DIY 10 lines	or	GRM 4927 10 Line	76x37 mm GRM 60
	GRM 15 DIY 2 lines		69x10 mm	GRM 15
	GRM 25 DIY 4 lines		75x15 mm	GRM 25
	GRM 45 DIY 7 lines		GRM 4925 7 Line	82x25 mm GRM 45
DATERS PLASTIC				
	GRM 160 Dater DIY 2 lines		25x5 mm	GRM 160
	GRM 260 Dater DIY 2 Pads 2 Lines	or	GRM 4755 Dater DIY 2 Pads 2 Lines	45x24 mm GRM 260
	GRM 55 Dater DIY 6 Lines		60x40 mm	GRM 55
	GRM 2660 2pads DIY 6 Lines		58x36 mm	GRM 2660
	GRM 2860 Dater DIY 8 Lines		68x49 mm	GRM 2860
DATERS METAL				
	GRM 2160 2pads DIY 2 Lines		42x25 mm	GRM 2160
	GRM 2360 2pads DIY 4 Lines		45x31 mm	GRM 2360
	GRM 2660 2pads DIY 6 Lines	or	GRM 5465 2pads DIY 6 Lines	58x36 mm GRM 2660
ROUND STAMPS				
	GRM D30/1 DIY		self-inking stamp with safebox	Ø 30, 1 circle GRM D30
	GRM D40/1 DIY		self-inking stamp with safebox	Ø 40, 1 circle GRM D40
	GRM D40/1.5 DIY		self-inking stamp with safebox	Ø 40, 1,5 circle GRM D40
	GRM D40/2 DIY		self-inking stamp with safebox	Ø 40, 2 circles GRM D40
	GRM D45/2 DIY		self-inking stamp with safebox	Ø 45, 2 circles GRM D45
	GRM D45/2.5 DIY		self-inking stamp with safebox	Ø 45, 2,5 circles GRM D45
	GRM D50/4 DIY		self-inking stamp with safebox	Ø 50, 4 circles GRM D50
TYPE SETS				
FOR ROUND STAMPS, STAMPS AND DATERS				
	Set "Latin"		Character size from 2 up to 3 mm	
	Set "Romania"		Character size from 2 up to 3 mm	
	Set "Latvia"		Character size from 2 up to 3 mm	
	Set "Turkey"		Character size from 2 up to 3 mm	
	Set "Turkmenia"		Character size from 2 up to 3 mm	
	Set "Kazakhstan"		Character size 3 mm	
	Set "Ukraine"		Character size 3 mm	
	Set "Georgia"		Character size 3,5 mm	
	tweezers			

TYPE SETS

FOR D-I-Y ROUND STAMPS, STAMPS AND DATERS

Type Sets for any language can be designed or update. Please, contact us.

Set “Turkmenia”

AČEŽJNORTHYM.	AGEŽJNORTHY1111111111	. « . x % @ Email:
AČEŽJNORTHYM.	AGEŽJNORTHY2222222222	» . + % @ WWW.
AGEŽJNÖSTÜYM,	AGEŽJNÖSTÜY3333333333	« . ~ % ICQ: HTTP:
AGEZKNÖSUÜY№,	AGEZKNÖSUÜY4444444444	» - ~ % ☎ Phone
AGEZKNÖSUÜY№	AGEZKNÖSUÜY5555555555	(_ # # Ⓢ Mob.
BGÄZKNÖSUÜY%	BGÄZKNÖSUÜY6666666666	_ , ♦ ♦ Fax: GmbH
BDÄILŇPSFVÝ\$	BDÄILŇPSFVÝ7777777777	(, \$ № Co. Co.
BDÄILŇPSFV- »	BDÄILŇPSFVM8888888888	, , \$ № Ltd Ltd.
ÇDÄILOPŠFV-(	ÇDÄILOPŠFVM9999999999	/ : = № Inc. Inc.
ÇĐİLORTHY-))	ÇĐİLORTHYM0000000000	// . TM —



Set “Kazakhstan”

А	Б	В	Г	Д	Е	И	К	Л	Н	О	Р	С	Т	Х	Ч	Ш	Ф	У	D	G	N	R	V	Q	«	*	1	1	1	1	
А	Б	В	Г	Д	Е	И	К	Л	Н	О	Р	С	Т	Х	Ч	Ш	Ф	У	D	G	N	S	V	Q	»	*	2	2	2	2	
А	Б	В	Г	Е	И	К	Л	Н	О	Р	С	Т	Х	Ь	Ж	Ш	Ф	У	D	G	N	S	V	Q	«	*	3	3	3	3	
А	Б	В	Г	Е	И	К	Л	О	П	Р	С	Т	Х	Ь	Ж	Ш	Ы	I	D	G	N	S	V	W	»	*	4	4	4	4	
А	Б	В	Г	Е	И	К	Л	О	П	Р	С	У	Х	Ь	Ж	Ш	Ы	I	F	L	N	S	Y	W	»	*	5	5	5	5	
А	Б	В	Д	Е	И	К	Н	О	П	Р	С	У	Х	Ь	М	Ш	Ы	I	F	L	R	S	Y	W	.	.	6	6	6	6	
А	Б	Д	Е	И	К	Н	О	П	Р	Т	У	Х	Ь	М	Ш	Ы	I	F	L	R	U	Y	W	,	:	.	7	7	7	7	
А	Б	Д	Е	И	К	Н	О	П	Р	Т	У	Ч	Э	Я	М	Ц	Ю	I	F	L	R	U	Z	г.	/	.	8	8	8	8	
А	Б	Д	Е	И	Л	Н	О	П	С	Т	У	Ч	Э	Я	М	Ц	Ю	J	F	L	R	U	Z	г.	+	(	.	9	9	9	9
А	Б	Д	Ё	И	Л	Н	О	П	С	Т	У	Ч	Э	Я	М	Ц	Ю	J	G	N	R	U	Z	г.	-	)	.	0	0	0	0



Set "Ukraine"

А	Б	В	Г	Д	З	И	К	Л	Н	О	Р	С	Т	Х	Ч	Ь	Ж	Ш	Ф	Т	D	G	N	R	V	W	«	-	1	1	1	1	1
А	Б	В	Г	Д	З	И	К	Л	Н	О	Р	С	Т	Х	Ч	Ь	Ж	Ш	Ф	Т	D	G	N	S	V	W	»	-	2	2	2	2	2
А	Б	В	Г	Е	З	И	К	Л	Н	О	Р	С	Т	Х	Ь	Ь	Ж	Ш	Ф	Т	D	G	N	S	V	W	«	-	3	3	3	3	3
А	Б	В	Г	Е	З	И	К	Л	О	П	Р	С	Т	Х	Ь	Ь	Ж	Ш	Ы	І	D	G	N	S	Y	©	»	-	4	4	4	4	4
А	Б	В	Г	Е	З	И	К	Л	О	П	Р	С	У	Х	Ь	Ь	Ж	Ш	Ы	І	F	L	N	S	Y	№	.	-	5	5	5	5	5
А	Б	В	Д	Е	З	И	К	Н	О	П	Р	С	У	Х	Ь	Ь	М	Щ	Ы	І	F	L	R	S	Z	#	.	/	6	6	6	6	6
А	Б	Г	Д	Е	З	И	К	Н	О	П	Р	Т	У	Х	Ь	Ь	М	Щ	Ы	І	F	L	R	U	Z	@	.	/	7	7	7	7	7
А	Б	Г	Д	Е	И	И	К	Н	О	П	Р	Т	У	Ч	Є	Я	М	Ц	Ю	І	F	L	R	U	Q	@	.	(	8	8	8	8	8
А	В	Г	Д	Е	И	И	Л	Н	О	П	С	Т	У	Ч	Є	Я	М	Ц	Ю	J	F	L	R	U	Q	+	)	9	9	9	9	9	9
А	В	Г	Д	Е	И	И	Л	Н	О	П	С	Т	У	Ч	Є	&	М	Ц	Ю	J	G	N	R	U	W	*	*	0	0	0	0	0	0



Set “Georgia”

ა	ბ	გ	დ	ე	ვ	ზ	თ	ი	კ	ლ	მ	ნ	ო	პ	ჟ	რ	ს	ტ	უ	ფ	ყ	შ	ჩ	ც	ძ	წ	ხ	ჯ	პ	
ა	ბ	გ	დ	ე	ვ	ზ	თ	ი	კ	ლ	მ	ნ	ო	პ	ჟ	რ	ს	ტ	უ	ფ	ყ	შ	ჩ	ც	ძ	წ	ხ	ჯ	პ	
ა	ბ	გ	დ	ე	ვ	ზ	თ	ი	კ	ლ	მ	ნ	ო	პ	ჟ	რ	ს	ტ	უ	ფ	ყ	შ	ჩ	ც	ძ	წ	ხ	ჯ	პ	
ა	ბ	გ	დ	ე	ვ	ზ	თ	ი	კ	ლ	მ	ნ	ო	პ	ჟ	რ	ს	ტ	უ	ფ	ყ	შ	ჩ	ც	ძ	წ	ხ	ჯ	პ	
ა	ბ	გ	დ	ე	ვ	ზ	თ	ი	კ	ლ	მ	ნ	ო	პ	ჟ	რ	ს	ტ	უ	ფ	ყ	შ	ჩ	ც	ძ	წ	ხ	ჯ	პ	
1	2	3	4	5	6	7	8	9	0	№	1	4	7	0	ი	ი	ა	ს	!	*	(	(	+	"	,	/	-	-	%	;
1	2	3	4	5	6	7	8	9	0	№	2	5	8	ი	ი	ა	ს	!	*	)	=	)	+	"	,	/	-	-	%	;
1	2	3	4	5	6	7	8	9	0	☒	3	6	9	ი	ი	ა	ს	?	&	?	\$	=	.	.	.	&	*	*	€	⌘



LASER TECHNOLOGIES




“Super Speed” rubber has some obvious advantages:

- 1. The size equals 230x320 mm**, that a little bit more than A4 paper size, is designed especially for the project. It allows to place **35 stamps** with a diameter of 40 mm and not to have any scrap. This paper size provides an opportunity to decrease scrap of material 23-25% in comparison with A4 paper size.
- 2. High speed of processing** gives an opportunity to achieve the highest level of productivity and efficiency even when a low-powered laser is used.
- 3. Steady to laser beaming:**
 - no sticky excretion, all the combustion materials are dry and easy to wipe;
 - no heat distortion and image warping.
4. It is ideal **for microtext imprints** as all the micrographic elements of text or image are well printed.
- 5. Easy to wash away by** any cleanser.
- 6. It imprints an image of high-quality from the first imprint thanks** to well-moistening by ink.
 - Thickness 2.5 mm is ideal for self-indexes.

POLYMERIC TECHNOLOGIES

POLYMERIC TECHNOLOGIES

MATERIALS FOR PRODUCTION OF NEGATIVES




MAT SURFACE FILM GRM

for printing negatives

page size **A4**

50 sheets in a paper pack




BLACK negative film

page size **A4**

50 sheets in a paper pack



ACTIVATOR, 1 liter



VELLUM Film of high definition for print device

page size **A4**

50 sheets in a paper pack



LIQUID PHOTOPOLYMER GRM i50

2 kg

10 kg

MATERIALS FOR POLYMER BASE PRODUCTION



Substrate A4 page size, a sheet Cant board
(sticky **rubber**)

3 mm x 20 m, roll

Protective film 315 mm x 180 m, roll Washing
concentrate 2 kg

2-sided **sticky layer** A4, a sheet

Plates **MSX-145** 215x310mm

Plates **MSX-100** 215x310 mm

PRODUCTS OVERVIEW

Self-inking technology

	Name	Size, mm	Replacement pad
	Plastic stamps		
	GRM D40 (with defensive box)	Ø 40	 GRM R40
	Metal stamps		
	GRM 5215	Ø 45	 GRM 5215
	Plastic stamps		
	GRM 4921 2 lines	12x12	 GRM 4921
	GRM 4922 5 lines	20x20	 GRM 4922
	GRM 4925 6 lines	25x25	 GRM 4925
	GRM 4930 7 lines	30x30	 GRM 4930
	GRM 4935 9 lines	35x35	 GRM 4935
	GRM 4940 10 lines	40x40	 GRM 4940
	Oval stamps		
	GRM Oval 44	45x30	 GRM Oval 44
	GRM Oval 55	55x35	 GRM Oval 55
	Plastic stamps		
	GRM 4910 2 lines	26x12	 GRM 4910
	GRM 4911 4 lines	38x14	 GRM 4911
	GRM 4912 5 lines	47x18	 GRM 4912
	GRM 4913 6 lines	59x23	 GRM 4913
	GRM 4915 8 lines	69x30	 GRM 4915
	GRM 4916 2 lines	69x10	 GRM 4916
	GRM 4917 2 lines	50x10	 GRM 4917
	GRM 4926 9 lines	76x37	 GRM 4926
	GRM 4927 10 lines	60x40	 GRM 4927
	GRM 4928 8 lines	60x33	 GRM 4928
	GRM 4929 8 lines	50x30	 GRM 4929
			
	GRM 10 2 lines	26x12	 GRM 10
	GRM 20 4 lines	38x14	 GRM 20
	GRM 30 5 lines	47x18	 GRM 30
	GRM 40 6 lines	59x23	 GRM 40
	GRM 50 8 lines	69x30	 GRM 50
	GRM 60 9 lines	76x37	 GRM 60
	GRM 15 2 lines	69x10	 GRM 15
	GRM 25 4 lines	75x15	 GRM 25
	GRM 35 8 lines	50x30	 GRM 35
	GRM 45 7 lines	82x25	 GRM 45
	GRM 53 8 lines	45x30	 GRM 53
	GRM 54 10 lines	50x40	 GRM 54
	GRM 55 10 lines	60x40	 GRM 55

PRODUCTS OVERVIEW

Self-inking technology

	Name	Size, mm	Replacement pad
	Daters		
	GRM 120	3 mm	 GRM 120
	GRM 120/WD 12 term	3 mm	 GRM 120/WD
	GRM 120/W 12 term	3 mm	 GRM 120/W
	GRM 220	4 mm	 GRM 220
	GRM 2100/4 Metal	4 mm	 GRM 2100/4
	Plastic dater		
	GRM 160 Dater 2 lines <i>2 lines</i>	25x5	 GRM 160 Dater
	GRM 160S Dater 2 Lines <i>2 lines</i>	30x16	 GRM 160S Dater
	GRM 260 Dater 2 Lines <i>2 lines</i>	45x24	 GRM 260 Dater
	GRM 53 Dater 4 lines	45x30	 GRM 53 Dater
	GRM 54 Dater 6 lines	50x40	 GRM 54 Dater
	GRM 55 Dater 6 lines	60x40	 GRM 55 Dater
	GRM 2160 Plastic 2 lines	42x25	 GRM 2160
	GRM 2360 Plastic 4 lines	45x31	 GRM 3260
	GRM 2660 Plastic 6 lines	58x36	 GRM 2660
	GRM 2860 Plastic 8 lines	68x49	 GRM 2860
	Heavy duty daters		
	GRM 4430 2 lines	41x25	 GRM 4430
	GRM 4440 4 lines	51x29	 GRM 4440
	GRM 4460 4 lines	57x35	 GRM 4460
	GRM 4470 8 lines	51x47	 GRM 4470
	GRM 4480 8 lines	69x48	 GRM 4480
	Numerators		
	GRM 126 Mini numerator 6 bands 3 mm	3 mm	 GRM 126
	GRM 48314 Mini numerator 14 bands 3 mm	3 mm	 GRM 48314
	GRM 226 numerator 6 bands 4 mm	4 mm	 GRM 226
	GRM 2106 numerator 6 bands	4 mm	 GRM 2106
	GRM 2108 numerator 8 bands	5 mm	 GRM 2108
	GRM 2110 numerator 10 bands	5 mm	 GRM 2110
	Numerators		
	GRM 2106/P numerator 6 bands	35x22	 GRM 2106/P
	Pocket stamp		
	GRM Pocket 20 ONE CLICK 4 lines	16x40	 GRM Pocket 20
	GRM Pocket 30 ONE CLICK 5 lines	21x46	 GRM Pocket 30
	GRM Pocket 40 ONE CLICK 6 lines	58x25	 GRM Pocket 40
	GRM Pocket Q25 ONE CLICK 7 lines	25x25	 GRM Pocket Q25
	GRM Pocket Q12 ONE CLICK 2 lines	12x12	 GRM Pocket Q12
	GRM Pocket D 30 ONE CLICK 8 lines	30x30	 GRM Pocket D 30
	GRM Pocket D 40 ONE CLICK 10 lines	42x42	 GRM Pocket D 40

PRODUCTS OVERVIEW

"2 PADS" Self-inking technology



2pads – the replacement pad has two working surfaces.
This allows to double the number of impressions in comparing with regular pad.

	Name	Size, mm	Replacement pad
	Plastic stamps		
	GRM D12 2 pads (with box)	Ø 12	GRM D12 2 pads
	GRM D17 2 pads (with box)	Ø 17	GRM D17 2 pads
	GRM D24 2 pads (with box)	Ø 24	GRM D24 2 pads
	GRM D30 2 pads (with box)	Ø 30	GRM D30 2 pads
	GRM D40 2 pads (with box)	Ø 40	GRM D40 2 pads
	GRM D45 2 pads (with box)	Ø 45	GRM D45 2 pads
	GRM D50 2 pads	Ø 50	GRM D50 2 pads
	GRM 4925 2 pads 6 lines (with box)	25x25	GRM 4925 2 pads
	GRM 4930 2 pads 7 lines (with box)	30x30	GRM 4930 2 pads
	GRM 4943 2pads 10 lines (with box)	43x43	GRM 4943 2 pads
	Metal stamps		
	GRM D2040 2 pads	Ø 40	GRM D2040 2 pads
	GRM D2045 2 pads	Ø 45	GRM D2045 2 pads
	Plastic stamps		
	GRM 4911 «2 pads» 4 lines	39x15	GRM 4911 2 pads
	GRM 4912 «2 pads» 5 lines	48x18	GRM 4912 2 pads
	GRM 4913 «2 pads» 6 lines	65x25	GRM 4913 2 pads
	GRM 4915 «2 pads» 7 lines	68x30	GRM 4915 2 pads
	GRM 4926 «2 pads» 9 lines	78x40	GRM 4926 2 pads
	GRM 150 2 pads 2 lines	70x12	GRM 150 2 pads
	GRM 250 2 pads 4 lines	76x17	GRM 250 2 pads
	GRM 450 2 pads 7 lines	76x29	GRM 450 2 pads
	GRM 200 2 pads 4 lines	41x16	GRM 200 2 pads
	GRM 300 2 pads 5 lines	48x20	GRM 300 2 pads
	GRM 310 2 pads 6 lines	45x24	GRM 310 2 pads
	GRM 320 2 pads 5 lines	62x20	GRM 320 2 pads
	GRM 400 2 pads 6 lines	59x23	GRM 400 2 pads
	GRM 500 2 pads 6 lines	65x25	GRM 500 2 pads
	GRM 600 2 pads 10 lines	78x40	GRM 600 2 pads
	Metal stamps		
	GRM 2100 2 pads 6 lines	42x25	GRM 2100 2 pads
	GRM 2300 2 pads 7 lines	45x31	GRM 2300 2 pads
	GRM 2400 2 pads 6 lines	59x28	GRM 2400 2 pads
	GRM 2600 2 pads 9 lines	58x36	GRM 2600 2 pads
	GRM 2800 2 pads 12 lines	68x49	GRM 2800 2 pads
	Plastic daters		
	GRM 260 2 pads 2 lines	45x24	GRM 260 2 pads

PRODUCTS OVERVIEW

"2 PADS" Self-inking technology

	Name	Size, mm	Replacement pad	
	Metal daters			
	GRM 2160 2 pads 2 lines	42x25		GRM 2160 2 pads
	GRM 2360 2 pads 4 lines	45x31		GRM 2360 2 pads
	GRM 2460 2 pads 4 lines	59x28		GRM 2460 2 pads
	GRM 2660 2 pads 6 lines	58x36		GRM 2660 2 pads
	GRM 2860 2 pads 8 lines	68x49		GRM 2860 2 pads

